


KIT LOADING ARM MODEL TABLE



EXAMPLE MODEL NUMBER: LDA 0 V 06 NP 1 H 1 B MM



KIT LOADING ARM

LDA	LOADING ARMS
MATERIALS OF CONSTRUCTION	
0	CARBON STEEL (ASTM A106 GRADE A OR B)
1	LOW TEMP CARBON STEEL (ASTM A333 GRADE 6)
2	304 SST
3	316 SST
SEAL MATERIAL	
V	VITON GRADE B
T	PTFE
C	CARBON FILLED PTFE
PIPE SIZE	
02	2 INCH NPS
03	3 INCH NPS
06	6 INCH NPS

Doc #: 000-108897-DOC	Rev A	Release Date 9/19/2014
-----------------------	-------	------------------------

5225 South 37th St. Phoenix, AZ 85040- Tel: 602-233-9885 Fax: 602-233-9887

KIT LOADING ARM MODEL TABLE



08	8 INCH NPS
10	10 INCH NPS
12	12 INCH NPS
16	16 INCH NPS
18	18 INCH NPS
20	20 INCH NPS
FINISH	
NF	NAUTURAL FINISH
PB	POWDER COAT BLACK
PW	POWDER COAT WHITE
NP	NICKEL PLATED
CONFIGURATION	
0 (0)	SAME SIDE
1 (1)	OPPOSITE SIDE
2 (2)	SIDE IN TOP OUT
ACCUATION METHOD	
M	MANUAL
H	HYDRAULIC
E	ELECTRIC
C	HAND CRANK
ARTICULATION	
0	ARMS CAN CROSS
1	ARMS CANNOT CROSS
CONNECTION STYLE	
A	NPT
B	FIG 206 W/ O-RING
C	FIG 400 W/ O-RING
D	FIG 602 W/ O-RING
E	FIG 1002 W/ O-RING
F	FIG 1502 W/ O-RING
CONNECTION TYPE	
MM	MALE INLET, MALE OUTLET
MF	MALE INLET, FEMALE OUTLET
FF	FEMALE INLET, FEMALE OUTLET
FM	FEMALE INLET, MALE OUTLET
SPECIAL OPTIONS	
-0	INSLUATION JACKETS
-1	HEAT TRACE

Doc #: 000-108897-DOC	Rev A	Release Date 9/19/2014
-----------------------	-------	------------------------

5225 South 37th St. Phoenix, AZ 85040- Tel: 602-233-9885 Fax: 602-233-9887

KIT LOADING ARM MODEL TABLE



REASON CODES FOR EXCEPTIONS

- 0 PIPING KIT REQUIRED FOR INLET AND OUTLET CONNECTIONS. A01 MUST BE (RR/LL)
- 1 PIPING KIT REQUIRED FOR INLET AND OUTLET CONNECTIONS. A01 MUST BE (RL/LR)
- 2 PIPING KIT REQUIRED FOR INLET ONLY. A01 MUST BE (RT/LT)